

1 References

- Aistars, J. (1987). Fatigue in the cancer patient: a conceptual approach to a clinical problem. *Oncology Nursing Forum*; **14**: pp. 25-29, cited in Iop, A., Manfredi, A.M. & Bonura, S. (2003). Fatigue in cancer patients receiving chemotherapy: an analysis of published studies. *Annals of Oncology*, **15**: pp. 712-720.
- Akner, G. & Cederholm, T. (2001). Treatment of protein-energy malnutrition in chronic nonmalignant disorders. *American Journal of Clinical Nutrition*, July 2001; **74** (1): pp. 6-24.
- Amdouni, S. (2009). *Malnourished cancer patients experience more psychological distress*. Thaindian News March 22, 2009.
http://www.thaindian.com/newsportal/health1/chemotherapy-impairs-verbal-problem-solving-skills_100221825.html [accessed 19 April 2009].
- American Cancer Society and National Comprehensive Cancer Network (2004). *Distress. Treatment Guidelines for Patients*. Version I, July 2004.
http://www.cancer.org/downloads/CRI/N.C.C.N._Distress.pdf [accessed 11 December 2007].
- American Statistical Association (ASA) (2005).
<http://www.amstat.org/sections/srms/whatsurvey.html> [accessed 3 March 2005].

- Angus, A. & Katona, G. (1953). *The Sample Survey: A Technique for Social Science Research*. In Newcomb, Theodore M. (Ed). *Research Methods in the Behavioral Sciences*, pp.14-55. The Dryden Press: New York, cited in: CSU (2005). *Writing @ CSU*. <http://writing.colostate.edu/references/research/survey/index.cfm> [accessed 3 March 2005].
- Antoun, S., Merad, M., Raynard, B. & Ruffié, P. (2006). Malnutrition in Cancer Patients. *Rev Prat.*, November, **56** (18): pp. 2025-9.
- Arends, J., Bodoky, G., Bozzetti, F., Fearon, K., Muscaritoli, M., Selga, G., van Bokhorst-de van der Schueren, M.A.E. (2006). ESPEN Guidelines on Enteral Nutrition: Non-Surgical oncology. *Clinical Nutrition* , 25, 245-259.
- Argilés, J.M. (2005). Cancer-associated malnutrition. *European Journal of Oncology Nursing*, **9**, Supplement 2: pp. S39-50.
- Babbie, E.R. (1973). *Survey Research Methods*. Belmont, CA: Wadsworth Publishing Company.
- Bauer, J., Capra, S. & Ferguson, M. (2002). Use of the Scored Patient-Generated Subjective Global Assessment (PG-SGA) as a nutrition assessment tool in patients with cancer. *European Journal of Clinical Nutrition*, August 2002, 56 (8): pp. 779-785.
- Barclay, L. (2005). *Distress Thermometer May Help Screen for Distress in Cancer Patients*. <http://cme.medscape.com/viewarticle/502363>[accessed 21 April 2009].
- BC Cancer Agency (2007). *Nutritional Support*. May 2007. BC Cancer Agency. <http://www.bccancer.bc.ca/PPI/copingwithcancer/nutrition/default.htm> [accessed 13 November 2007].

Bennett, M. & Ryall, N. (2000). Using the modified Barthel Index to estimate survival in cancer patients in hospice: observational study. *British Medical Journal*, 321, December 2: pp. 1381-2.

Benzene-Lawyer.com (2008). <http://www.benzene-lawyer.com/html/faq.html#cancer> [accessed 8 April 2008].

Bernhardson, B.M., Tishelman, C. & Rutqvist, L.E. (2009). Taste and smell changes in patients receiving cancer chemotherapy: Distress, Impact on daily life, and Self-care Strategies, *Cancer Nursing*, 32 (1), January/February: pp. 45-54.

Better Health Children. (2007). *Body Mass Index (B.M.I.)*. <http://www.betterhealth.voc.gov.au/bhcv2/bhcsite.nsf/pages/B.M.I.js> [accessed 18 November 2007].

Biology-Online (2007). *Leukaemia*. <http://www.biology-online.org/dictionary/Leukaemia> [accessed 10 February 2007].

Bistran, B.R., Blackburn, G.L., Vitale, J., Cocahran, D. & Waylor, J. (1976). Prevalence of malnutrition in general medical patients. *Journal of the American Medical Association*; **253**: 1567-1750, cited in Leonard-Jones, J.E. (1992). *A Positive Approach to Nutrition as Treatment*. January 1992. A Report of a Working Party (King's Fund) on the role of enteral and parenteral feeding in hospital and home.

Breitbart, W.S. (1995). Identifying patients at risk for, and treatment of major psychiatric complications of cancer. *Support Care Cancer*, **3**: pp. 45-60.

British Association of Parenteral and Enteral Nutrition (BAPEN) (2007). *BAPEN Study reveals that 1 in 4 of all adults across all age groups admitted to hospital and care homes in the UK at risk of malnutrition*. Tuesday 27th November, 2007, BAPEN

Conference, Harrogate. http://www.bapen.org.uk/res_press_rel37.html [accessed 27 November 2007].

British Nutrition Foundation (BNF) (2008). *Undernutrition*.

<http://www.nutrition.org.uk/home.asp?siteId=43§ionId=654&subSectionId=321&parentSection=299&which=1#1123> [accessed 16 January 2008].

Bosaeus, I. (2008). Nutritional support in multimodal therapy for cancer cachexia.

Supportive Care in Cancer, **16** (5): pp. 447-451.

Bosman, F.T. (2006). Pathology. Nursing Patients with Cancer. Principles and Practice.

Chapter 6. Kearney, N. & Richardson, A. (editors). Edinburgh: Churchill Livingstone.

Bozzetti, F. (2001). Artificial Nutrition Support in Clinical Practice. *Nutrition support in*

patients with cancer. Chapter 37. Payne-James, J., Grimble, G. & Silk, D. (editors).

London: Greenwich Medical Media Ltd.

Bozzetti, F. (2006). The Role of Artificial Nutrition Support in the Cancer Patient. In S. D.-S.

Giovanni Mantovani, *Cachexia and Wasting: A Modern Approach* (pp. 581-591).

Springer Milan.

Brazil, L., Thomas, R., Laing, R., Hines, F., Guerrero, D., Ashley, S. & Brada, M. (1997).

Verbally administered Barthel Index as functional assessment in brain tumour patients.

Journal of Neuro-Oncology, **34** (2), September: pp. 187-192.

British Dietetic Association (2006). *Malnutrition in Hospitals*. Retrieved on April 8, 2008,

from http://www.bda.uk.com/malnutrition_in_hospitals.html.

British Medical Journal (1979). Malnutrition and Cancer. *British Medical Journal*, April 7,

1 (6168): pp. 912-913.

<http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=1598597> [accessed 8 January 2008].

Brogden, B. J. (2004). Clinical Skills: importance of nutrition for acutely ill hospital patients. *British Journal of Nursing*, 13 (15).

Bruera, E. (1997). Clinical Review. ABC of palliative care: Anorexia, cachexia and nutrition. *British Medical Journal*, (November 8) 315: pp. 1219-1222.

Cairo, M.S. & Bishop, M. (2004). Tumour lysis syndrome: new therapeutic strategies and classification. *British Journal of Haematology*, **127** (1); pp. 3-11.

Cancer.net (2008). *The Genetics of Cancer*.

<http://www.cancer.net/portal/site/patient/menuitem.034b98abc65a8f566343cc10ee37a01d/?vgnnextoid=64b1ea97a56d9010VgnVCM100000f2730ad1RCRD> [accessed 8 April 2008].

Cancer Research UK (2008). *Infectious Agents and Cancer*.

<http://info.cancerresearchuk.org/cancerstats/causes/infectiousagents/virusesandcancer/> [accessed 8 April 2008].

Cancer Treatment Centers of America (CTCA) (2008). *Coping with Nausea During Chemotherapy*. August 2008, Newsletter No. 20.

http://www.cancercenter.com/newsletter/august_2008_newsletter.cfm [accessed 13 March 2009].

Cauchman, W. & Dawson, J. (1990). *Nursing and Health Care Research: A Practical Guide*. London: Scutari Press.

Cancer Research UK (2007). *Body Mass Index*.

<http://info.cancerresearchuk.org/healthyliving/obesityandweight/bodymassindex>
[accessed 18 November 2007].

Centres for Disease Control and Prevention (CDCP) (2008). *Facts about Benzene*.

<http://www.bt.cdc.gov/agent/benzene/basics/facts.asp> [accessed 8 April 2008].

Chin, B., Reid, M., Alderslade, G. & Lip, G.Y.H. (2000). Malnutrition in hospital. *QJM: An International Journal of Medicine*; **93** (9): pp. 640-641

Cormack, F.S. (1991). *The Research Process in Nursing* (Second ed.). Oxford: Blackwell Scientific Publications.

Cortis, J.D. (1997). Clinical Nutrition & the Hospitalised Patient: implications for nurses. *British Journal of Nursing*, June 26-July 9; **6**(12): pp. 666-7, 670-2, 674.

Coward, M. & Coley, H.M. (2006). Chemotherapy. *Nursing Patients with Cancer. Principles and Practice*. Chapter 14. Kearney, N. & Richardson, A. (editors).
Edinburgh: Churchill Livingstone.

Cresswell, J. (1994). *Qualitative Inquiry and Research Design: Choosing among five Traditions*. California: Sage Publications.

CSU (2005). *Writing @ CSU*.

<http://writing.colostate.edu/references/research/survey/index.cfm> [accessed 3 March 2005].

Daily Telegraph (1999). "She only went in for a sore knee". December 6.

Davis, M.P. & Dickerson, D. (2000). Cachexia and Anorexia: cancer's covert killer. *Support Care Cancer*; **8**: pp. 180-7, cited in Molassiotis, A. & Foubert, J. (2006). *Nursing*

Patients with Cancer. Principles and Practice. Anorexia, Cachexia and Malnutrition.
Chapter 29. China: Elsevier, Churchill Livingstone.

Davies, M. (2005). Nutritional screening and assessment in cancer-associated malnutrition. *European Journal of Oncology Nursing*, **9**, Supplement 2: pp. S64-73.

Dictionary.com (2009). *Distress*. <http://dictionary.reference.com/browse/distress> [accessed 10 April 2009].

Dimeo, F., Schmittel, A., Fietz, T., Schwartz, S., Köhler, P., Böning, D. & Thiel, E. (2004). Physical performance, depression, immune status and fatigue in patients with haematological malignancies after treatment. 8 April. *Annals of Oncology*, **15**: pp. 1237-1242.

Duerksen, D.R., Yeo, T.A., Siemens, J.L. & O'Connor, M.P. (2000). The validity and reproducibility of clinical assessment of nutritional status in elderly patients. *Nutrition*, **16**: pp. 740-744.

Douglass, H.O. Jr., Milliron, S. & Nava, H. (1978). Elemental diets as an adjunct for patients with locally advanced gastrointestinal cancer receiving radiation therapy: a prospectively randomised study. *Journal of Parenteral and Enteral Nutrition*; **2**: pp. 682-6, cited in Bozzetti, F. (2001). Artificial Nutrition Support in Clinical Practice. *Nutrition support in patients with cancer*. Chapter 37. Payne-James, J., Grimble, G. & Silk, D. (editors). London: Greenwich Medical Media Ltd.

Duffy, M.E. (1987). Methodological Triangulation: a vehicle for merging quantitative and qualitative research methods. *Image: Journal of Nursing Scholarship*, **19**(3); pp. 130-133, Cited in: Royal College of Nursing (1996). *Clarifying Theory for Practice Study Guide*. London: The RCN Institute.

- Durkheim, E. (1952). *Suicide*. London: Routledge & Kegan Paul, cited in: Royal College of Nursing (2005). *Research Methodology Study Guide*. London: The RCN Institute.
- Ek, A.C., Unosson, M., Larrson, J., Ganowiak, W. & Bjurulf, P. (1996). Interrater variability and validity in subjective nutritional assessment of elderly patients. *Scandinavian Journal of Caring Sciences*, 10: pp. 163-168.
- Enia, G., Sicuso, C., alati, G. & Zoccali, C. (1993). Subjective Global Assessment of nutrition for dialysis patients. *Nephrology Dialysis Transplantation*, 8: pp. 1094-1098.
- Ennis, B.W., Saffel Shrier, S. & Verson, H. (2001). Malnutrition in the elderly: what nurses need to know. *Dimensions of Critical Care Nursing*, November-December; **20**(6): 28-34.
- Evans, H., Newnham, A. & Moller, H. (2006). Cancer Epidemiology. *Nursing Patients with Cancer. Principles and Practice*. Chapter 4. Kearney, N. & Richardson, A. (editors). Edinburgh: Elsevier, Churchill Livingstone.
- Fassas, A.B., Desikan, K.R., Siegel, D., Golpert, T.A., Munshi, N.C., Barlocie, B. & Tricot, G. (1999). Tumour lysis syndrome complicating high-dose treatment in patients with multiple myeloma. *British Journal of Haematology*, **105** (4); pp. 938-941.
- Fernandez, L.A. (1987). Increasing the Benefits of Chemotherapy by Ameliorating the Adverse Effects. *Canadian Family Physician*, November 1987, **33**: pp. 2549-2552.
- Finestone, H.M., Greene-Finestone, L.S., Wilson, E.S. & Teasell, R.W. (1995). Malnutrition in stroke patients on the rehabilitation service and at follow-up : prevalence and predictors. *Archives of physical medicine and rehabilitation*; **76** (4); pp. 310-316.

Fuhrman, J. (2009). *Nutrition and Mood Disorders*.

<http://www.diseaseproof.com/archives/healthy-food-nutrition-and-mood-disorders.html>

[accessed 19 April 2009].

Fyke, M.K. (2002). *Malnutrition*.

<http://www.healthatoz.com/healthatoz/Atoz/common/standard/transform.jsp?requestURI>

=/healthatoz/Atoz/ency/malnutrition.jsp [accessed 16 January 2008].

Gallo, R.C., Blattner, W.A., Reitz, M.B.jr, *et al.* (1982). The virus of adult T-cell leukaemia in Japan and elsewhere. *Lancet* 1982, **1**: pp. 1-683.

García Peris, P., Lozano, M.A., Velasco, C., de La Cuerda, C., Iriondo, T., Bretón, I.,

Cambolor, M. & Navarro, C. (2005). Prospective study of resting energy expenditure

changes in head and neck cancer patients treated with chemotherapy measured by

indirect calorimetry. *Nutrition*, November 2005, **21**(11/12): pp. 1107-1112.

Gortner, S. & Schultz, P. (1988). Approaches to nursing science methods. *Image: Journal of*

Nursing Scholarship, **22**(1); pp. 22-24, Cited in: Royal College of Nursing (1996).

Clarifying Theory for Practice Study Guide. London: The RCN Institute.

Gralla, R.J., Grunberg, S.M. & Messner, C. (2009). *Coping with Nausea and Vomiting from*

Chemotherapy. Cancercare Connect booklets.

http://www.cancercare.org/pdf/booklets/ccc_nausea_and_vomiting.pdf [accessed 13

March 2009].

Gralla, R.J., Houlihan, N.G. & Messner, C. (2009). *Understanding and Managing*

Chemotherapy Side Effects. Cancercare Connect booklets.

http://www.cancercare.org/pdf/booklets/ccc_chemo_side_effects.pdf [accessed 15 March

2009].

Grant, M. & Kravits, K. (2000). Symptoms and their impact on nutrition. *Seminars of Oncology Nursing*; **16**: pp. 113-121, cited in Molassiotis, A. & Foubert, J. (2006). *Nursing Patients with Cancer. Principles and Practice. Anorexia, Cachexia and Malnutrition.* Chapter 29. China: Elsevier, Churchill Livingstone.

Grigsby, D.G. (2002). *Malnutrition.* <http://www.emedicine.com/PED/topic1360.htm> [accessed 19 December 2008].

Grimble, G. & Peake, H. (2000). Hospital Malnutrition – is it a problem? *Hospital Pharmacist*, June; **7**(6): p. 142.

Grosvenor, M., Bulcavage, L. & Chlebowski, R.T. (1988). Symptoms Potentially Influencing Weight Loss in a Cancer Population. Correlations with Primary Site, Nutritional Status, and Chemotherapy Administration. *Cancer*, **63**: pp. 334-1989.

Gudny Geirsdottir, O. & Thorsdottir, I. (2008). Nutritional status of cancer patients in chemotherapy: dietary intake, nitrogen balance and scR.E.E.ning. *Food & Nutrition Research*; **52**.

Gupta, D., Lammersfeld, C.A., Vashi, P.G., Burrows, J., Lis, C.G. & Grutsch, J.F. (2005). Prognostic significance of Subjective Global Assessment (SGA) in advanced colorectal cancer. *European Journal of Clinical Nutrition*, **59**: pp. 35-40.

Harris, N. & Shaw, C. (2007). *Fact File.*

<http://www.lymphoma.org.uk/support/Factfiles/nutritionandlymphoma.htm> [accessed 12 November 2007].

Health Insite (2008). *Leukaemia*. <http://www.healthinsite.gov.au/topics/Leukaemia>
[accessed 20 March 2008].

Heber, D., Byerley, L.O., Chi, J., Grosvenor, M., Bergman, R.N., Coleman, M. &
Chiebowski, R.T. (2006). Pathophysiology of malnutrition in the adult cancer patient.
Cancer, **58** (S8): pp. 1867-1873.

Heiman, G.W. (1992). *Basic Statistics for the Behavioural Sciences*. U.S.A.: Houghton
Mifflin Company.

Henderson, B.E., Ross, R.K, Pike, M.C., *et al.* (1982). Endogenous hormones as a major
factor in human cancer. *Cancer Research*, **42**: pp. 3232-3239.

Hill, G.L., Pickford, I., Young, G.A., Schorah, C.J., Blackett, R.L., Burkinshaw, L., Warren,
J.V. & Morgan, D.B. (1977). Malnutrition in surgical patients: an unrecognised
problem. *Lancet* 1977, 1: 689-692, cited in Leonard-Jones, J.E. (1992). *A Positive
Approach to Nutrition as Treatment*. January 1992. A Report of a Working Party
(King's Fund) on the role of enteral and parenteral feeding in hospital and home.

Hofman, M., Ryan, J.L., Figueroa-Moseley, C.D., Jean-Pierre, P. & Morrow, G.R. (2007).
Cancer-related fatigue: the scale of the problem. *Oncologist*, **12**: Supplement 1: pp. 4-
10.

Hussain, M.B., Gangadharan, P.S., Nandakumar, D., Bejoy, C.T., Krishnan, R., Kunnambath,
R., Balakrishna, R., Manoj, P. & Geetha, N.N. (2004). Effect of Chemotherapy on the
Distress and Quality of Life of Cancer Patients. *Blood*, **104**. Annual Meeting Report.

Hutton, J.L., Baracos, V.E. & Wismer, W.V. (2007). Chemosensory dysfunction is a primary
factor in the evolution of declining nutritional status and quality of life in patients with

- advanced cancer. *Journal of Pain & Symptom Management*, Feb. 2007, **33** (2): pp.156-165.
- Ikeda, A.K., Sakamoto, K., Krishnan, K. & Sarnaik, A.P. (2006). *Tumour Lysis Syndrome*. Available at: <http://www.emedicine.com/ped/TOPIC2328.htm> [accessed 30 April 2008].
- Incalzi, R.A., Caparella, O., Gemma, A. *et al.* (1998). Inadequate Caloric Intake: a risk factor for mortality of geriatric patients in the acute-care hospital. *Age and Ageing*, **27**: pp. 303-310.
- Iop, A., Manfredi, A.M. & Bonura, S. (2003). Fatigue in cancer patients receiving chemotherapy: an analysis of published studies. *Annals of Oncology*, **15**: pp. 712-720.
- Jacobsen, P.B., Donovan, K.A., Trask, P.C., Fleishman, S.B., Zabora, J., Baker, F. & Holland, J.C. (2005). ScR.E.E.ning for psychologic distress in ambulatory cancer patients. *Cancer*, **103** (7): pp. 1494-1502.
- Jones, C.H., Newstead, C.G., Will, E.J., Smye, S.W. & Davidson, A.M. (1997). Assessment of nutritional status in CAPD patients: serum albumin is not a useful measure. *Nephrology Dialysis Transplantation*, **12**: pp. 1406-1413.
- Judd, P.A. (1988). Teaching nutrition to medical and dental students. *Journal of Human Nutrition & Dietetics*; **1**: 145-50, cited in Leonard-Jones, J.E. (1992). *A Positive Approach to Nutrition as Treatment*. January 1992. A Report of a Working Party (King's Fund) on the role of enteral and parenteral feeding in hospital and home.
- Jung, C. (1961). *Memories, dreams, reflections*. New York: Vintage Books.

- Kalantar-Zadeh, K., Kleiner, M., Dunne, E., Lee, G. & Luft, F. (1999). A modified quantitative subjective global assessment of nutrition for dialysis patients. *Nephrology Dialysis Transplantation*, **14** (7): pp. 1732-1738.
- Kearney, N. & Richardson, A. (2006). *Nursing Patients with Cancer. Principles and Practice*. Edinburgh: Churchill Livingstone.
- Knox, L.S., Crosby, L.O., Feurer, I.D., Buzby, G.P., Miller, C.L. & Mullen, J.L. (1983). Energy Expenditure in Malnourished Cancer Patients. *Annals of Surgery*, February, **197**: pp. 152-162.
- Knudson, A.G. (1971). Mutation and Cancer: statistical study of retinoblastoma. *Proceedings of the National Academies of Science, USA*, **68**; pp. 820-823.
- Larsson, J., Unosson, M., Ek, A.C., Nilsson, L., Thorslund, S. & Bjurulf, P. (1990). Effect of dietary supplement on nutritional status and clinical outcome in 501 geriatric patients – a randomised study. *Clinical Nutrition*; **9**: 179-184, cited in Leonard-Jones, J.E. (1992). *A Positive Approach to Nutrition as Treatment*. January 1992. A Report of a Working Party (King's Fund) on the role of enteral and parenteral feeding in hospital and home.
- Larsson, J., Nordstrom, G., Ljungman, P. & Gardulf, A. (2004). *Cancer Nursing*, 27: pp. 55-64.
- Lauderdale, F. (2001). Patient 'Distress Thermometer' Endorsed by Cancer Network – Brief Article. *Family Practice News*, April 15.
http://findarticles.com/articles/mi_m0BJI/is_8_31/ai_76758558 [accessed 11 December 2007].

- Leonard-Jones, J.E. (1992). *A Positive Approach to Nutrition as Treatment*. January 1992.
A Report of a Working Party (King's Fund) on the role of enteral and parenteral feeding
in hospital and home.
- Levy, J., Morgan, J. & Brown, E. (2001). *Oxford Handbook of Dialysis*. Oxford University
Press, University of Oxford, U.K.
- Lytner, D.W., Bryant, J., Thackeray, R., *et al.* (1995). Incidence of human
immunodeficiency virus related and non-related malignancies in a large cohort of
homosexual men. *Journal of Clinical Oncology*, **13**: pp. 2540-2546.
- Mahoney, F.I. & Barthel, D. (1965). Functional evaluation: the Barthel Index. *Maryland
State Medical Journal*, **14**; pp. 56-61.
- Matakidou, A. & Eisen, T. (2006). *Genetic Basis of Cancer*. Nursing Patients with Cancer.
Principles and Practice. Chapter 5. Kearney, N. & Richardson, A. (eds.). Edinburgh:
Churchill Livingstone.
- Mayo Clinic (2009). *Chemotherapy nausea and vomiting: Prevention is best defence*.
<http://mayoclinic.com/health/cancer/CA00030> [accessed 15 March 2009].
- McCall, M., Hood, K., Rowell, K., Hanning, R. & Cusimano, M. (2001). Prevalence of
malnutrition in Brain Tumour Patients Admitted for Tumour Resection. *Canadian
Inventory of Nutrition & Dietetic Associated Research*, March 27.
[http://www.dietitians.ca/cindar/content/search/viewabstract.asp?fn=view&ViewSection=
ResearchAbstract&id=3290&idstring=](http://www.dietitians.ca/cindar/content/search/viewabstract.asp?fn=view&ViewSection=ResearchAbstract&id=3290&idstring=) [accessed 19 January 2008].
- McClave, S.A., Mitoray, T.E., Thielmeier, K.A. & GR.E.E.nberg, R.A. (1992).
Differentiating Subtypes of Protein-Energy Malnutrition: Incidence and Clinical

Significance in a University Hospital Setting. *Journal of Parenteral Nutrition*; **16**: pp. 337-42.

McLeod, J. (1994). *Doing Counselling Research*. London: Sage.

McWhirter J.P. & Pennington C.R. (1994). Incidence and recognition of malnutrition in hospital. *British Medical Journal*, April 9; **308**: pp. 945-8.

MedicineNet.com (2007). *Definition of cancer*.

<http://www.medterms.com/script/main/art.asp?articlekey=2580> [accessed 2 February 2007].

MedlinePlus (2009). *Fatigue*. Medline Plus Medical Encyclopedia, available at:

<http://www.nlm.nih.gov/MEDLINEPLUS/ency/article/003088.htm> [accessed 11 April 2009].

Merriam Webster Online Dictionary (MWOD) (2009). *Distress*. Available at:

<http://www.merriam-webster.com/dictionary/distress> [accessed 10 April 2009].

Molassiotis, A. & Foubert, J. (2006). *Nursing Patients with Cancer. Principles and Practice*. Anorexia, Cachexia and Malnutrition. Chapter 29. China: Elsevier, Churchill Livingstone.

Morss Dy, S. (2006). Enteral and Parenteral Nutrition in Terminal Ill Cancer Patients: A Review of Literature. *American Journal of Hospice and Palliative Medicine*, 23, p. 369.

Morgan, G. (1983). Knowledge, uncertainty and choice. *Beyond Method: Strategies for Social Research*. Beverly Hills, California: Sage, pp. 383-391, Cited in: Royal College of Nursing (1996). *Clarifying Theory for Practice Study Guide*. London: The RCN Institute.

- Morton, J.R., Mihalas, L.S., Leung, P. & Strieder, D.J. (1980). Corticosteroids and malnutrition. Aspergillus lung abscess in an asthmatic child. *Chest*, **78**; pp. 667-669
- Moy, R.J.D., Smallman, S. & Booth, I.W. (1990). Malnutrition in a UK Children's Hospital. *Journal of Human Nutrition & Dietetics*; **3**: 93-100, cited in: Leonard-Jones, J.E. (1992). *A Positive Approach to Nutrition as Treatment*. January 1992. A Report of a Working Party (King's Fund) on the role of enteral and parenteral feeding in hospital and home.
- Multiple Myeloma Research Foundation (MMRF) (2008). *Intro to Myeloma*. Available at: http://www.multiplemyeloma.org/about_myeloma [accessed 4 May 2008].
- National Cancer Institute (NCI) (2002). *National Cancer Institute*. January 2002. Nutrition 208/04467 (PQD). <http://cancerweb.ncl.ac.uk/cancerweb.html> [accessed 9 November 2007].
- National Cancer Institute (NCI) (2005). Distress Treatment Guidelines Address Void in Cancer Care. *National Cancer Institute Cancer Bulletin*, **2** (5), February 1. http://www.cancer.gov/ncicancerbulletin/NCI_Cancer_Bulletin_020105/page9 [accessed 11 December 2007].
- National Comprehensive Cancer Network (N.C.C.N.) (2008). N.C.C.N. Clinical Practice Guidelines in Oncology. *Distress Management*. <http://www.N.C.C.N.org> [accessed 10 December 2007].
- National Institute for Clinical Excellence (NICE) (2008). *Healthcare services for haematological cancers*. http://www.nice.org.uk/nicemedia/pdf/Haematological_CS_Eng_IFP.pdf [accessed 27 March 2008].

NaturalNews.com (2009). *Can nutrition play a dominant role in mood? Scientists think so.*
<http://www.naturalnews.com/008007.html> [accessed 19 April 2009].

Nitenberg, G. & Raynard, B. (2000). Nutritional support of the cancer patient: issues and dilemmas. *Critical Reviews of Oncology and Haematology*; **34**: pp. 137-168, cited in Molassiotis, A. & Foubert, J. (2006). *Nursing Patients with Cancer. Principles and Practice.* Anorexia, Cachexia and Malnutrition. Chapter 29. China: Elsevier, Churchill Livingstone.

Northwestern University Medical School (2000). *Nutritional Demands of Disease and Trauma.* <http://www.feinberg.northwestern.edu/nutrition/tools-resources> [accessed 12 January 2008].

Nutrition in Medical Education (N.M.E.) (1983). *Report of the British Nutrition Task Force on Human Nutrition.* London: British National Foundation, cited in Leonard-Jones, J.E. (1992). *A Positive Approach to Nutrition as Treatment.* January 1992. A Report of a Working Party (King's Fund) on the role of enteral and parenteral feeding in hospital and home.

Nyatanga, L. (1991). Nursing and the Philosophy of science. *Nurse Education Today*, **11**(1); pp. 13-18, Cited in: Royal College of Nursing (1996). *Clarifying Theory for Practice Study Guide.* London: The RCN Institute.

Ottery, F.D. (1994). Rethinking nutritional support of the cancer patient: the new field of nutritional oncology. *Seminars in Oncology*, **21**: pp. 770-778, cited in Gupta, D., Lammersfeld, C.A., Vashi, P.G., Burrows, J., Lis, C.G. & Grutsch, J.F. (2005). Prognostic significance of Subjective Global Assessment (SGA) in advanced colorectal cancer. *European Journal of Clinical Nutrition*, **59**: pp. 35-40.

Ottery, F.D. (1996). Definition of standardised nutritional assessment and interventional pathways in oncology. *Nutrition*, 12; S15-S19, cited in Gupta, D., Lammersfeld, C.A., Vashi, P.G., Burrows, J., Lis, C.G. & Grutsch, J.F. (2005). Prognostic significance of Subjective Global Assessment (SGA) in advanced colorectal cancer. *European Journal of Clinical Nutrition*, 59: pp. 35-40.

Ottery, F.D., Kasenic, C., De Bolt, S. and others (1998). Volunteer network accrues >1900 patients in 6 months to validate standardised nutritional triage. *Proceedings of the American Society of Clinical Oncology*, 17:A-282, 73a, cited in National Cancer Institute (2002). *National Cancer Institute*. January 2002. Nutrition 208/04467 (PQD). <http://cancerweb.ncl.ac.uk/cancerweb.html> [accessed 11 November 2007].

Pandey, M., Sarita, G.P., Devi, N., Thomas B.C., Hussain, B.M. & Krishnan, R. (2006). Distress, anxiety and depression in cancer patients undergoing chemotherapy. *World Journal of Surgical Oncology* 4: p. 68.

Pareya Rodriguez de Vera, A., Aznarte Padial, P., de la Rubia Nieto, A. & Lopez Soriano, F. (2000). Assessment of nutritional status at hospital admission: identification of patients with risk of malnutrition. *Nutrition in Hospital*, July-August; **15**(4): pp. 156-63.

Patrick-Miller, L.J., Broccoli, T.L., Much, J.K. & Levine, E. (2004). Validation of the Distress Thermometer: A single item screen to detect clinically significant psychological distress in ambulatory oncology patients. 2004 ASCO Annual Meeting Proceedings (Post-Meeting Edition). *Journal of Clinical Oncology*, **22** (14 – supplement), July: p. 6024.

Payne-James, J., Grimble, G. & Silk, D. (2001). *Artificial Nutrition Support in Clinical Practice*. Second edition. London: Greenwich Medical Media Ltd.

- Peñalva, A., San Martin, A., Rosselló, J., Pérez-Portabella, C., Palacios, A., Julià, A. & Planas, M. (2009). Oral nutritional supplementation in haematologic patients. *Nutrición Hospitalaria*, Jan-Feb; **24**(1): pp. 10-16.
- Pickard-Holley, S. (1991). Fatigue in cancer patients: a descriptive study. *Cancer Nursing*; **14**: pp. 13-19, cited in Iop, A., Manfredi, A.M. & Bonura, S. (2003). Fatigue in cancer patients receiving chemotherapy: an analysis of published studies. *Annals of Oncology*, **15**: pp. 712-720.
- Pinder, E.M., Atwal, G.S.S., Ayantunde, A.A., Khan, S., Sokal, M., McCulloch, T. & Parsons, S.L. (2007). Tumour Lysis Syndrome Occurring in a Patient with Metastatic Gastrointestinal Stromal Tumour Treated with Glivec. *Sarcoma*, **Volume 2007**, Article ID 82012. Hindawi Publishing Corporation.
- Plester, C. (1996). *Malnutrition in Hospital*. British Dietetic Association (BDA) Position Paper, August.
- Poels, B.J.J., Brinkman-Zijlker, H.G., Dijkstra, P.U. & Postema, K. (2006). Malnutrition, eating difficulties and feeding dependence in a stroke rehabilitation centre. *Disability and Rehabilitation*, **28** (10); pp. 637-643.
- Polinghorne, D. (1983). *Methodology for the Human Sciences: Systems of Inquiry*. SUNY.
- R.C.P. London (2008). *Haematology*. <http://www.rcplondon.ac.uk/pubs/contents/ed8dc6b3-d8d8-4596-999d-252e6bf4ebb8.pdf> [accessed 20 March 2008].

- Ransom, S., Jacobsen, P.B. & Booth-Jones, M. (2006). Validation of the Distress Thermometer with bone marrow transplant patients. *Psycho-oncology*, **15** (7): pp. 604-612.
- Reason, P. & Rowan, J. (eds.) (1981). *Human Inquiry: A sourcebook of new paradigm research*. Chichester: John Wiley, Cited in: Royal College of Nursing (1996). *Clarifying Theory for Practice Study Guide*. London: The RCN Institute.
- Renshaw, G.L., Barrett, R.A. & Chowdhury, S. (2008). The incidence of the risk of malnutrition in adult medical oncology outpatients and commonly-associated symptoms. *Journal of Human Nutrition and Dietetics*, **21** (4): pp. 399-400.
- Reuben, D.B., Greendale, G.A. & Harrison, G.G. (1995). Nutrition screening in older persons. *Journal of American Geriatric Society*, **43**: pp. 415-425.
- Rivadeneira, D.E., Evoy, D., Fahey, T.J., Lieberman, M.D. & Daly, J.M. (1998). Nutritional Support of the Cancer Patient. *CA Cancer Journal for Clinicians*, **48** (2), March/April: pp. 69-80.
- Rojratsirikul, C., Sangkhathat, S. & Patrapinyokul, S. (2004). Application of SGA as a Screening Tool for Malnutrition in Paediatric Surgical Patients. *Journal of the Medical Association of Thailand*, **87** (8); 939-946.
- Rollins, H. (2002). Nutrition: Stopping the malnutrition carousel. *Community Practitioner*, January; **75**(1): 12-13.
- Ross, J. (2005). Food factors uncovered in leukaemia. *British Naturopathic Journal*, **22** (1), 8-9.

Royal College of Nursing (RCN) (2005). *Research Methodology Study Guide*. London: The RCN Institute.

Royal College of Nursing (RCN) (1996). *Clarifying Theory for Practice Study Guide*. London: The RCN Institute.

Sacks, G.S., Dearman, K., Replogle, W.H., Cora, V.L., Meeks, M. & Canada, T. (2000). Use of SGA to Identify Nutrition-Associated Complications and Death in Geriatric Long-Term Facility Residents. *Journal of the American College of Nutrition*, 19 (5): pp. 570-577.

Sarna, L., Lindsey, A.M., Dean, H., Brecht, M. & McCorkle, R. (1993). Nutritional intake, weight change, symptom distress and functional status over time in adults with lung cancer. *Oncology Nursing Forum*, April; **20** (3): pp. 481-489.

Scheinfeld, N.S. (2008). *Protein-Energy Malnutrition*.

<http://www.emedicine.com/DERM/topic797.htm> [accessed 20 January 2008].

Schumacher, K. & Gortner, S.R. (1992). (Mis)conceptions and reconceptions about traditional science. *Advances in Nursing Science*, 14(4), pp. 1-11.

Sela-Smith, S. (2002). Heuristic Research. A review and critique of Moustakas's Method.

Journal of Heuristic Psychology, 42 (3), 53-88.

Shirodkar, M. & Mohandas, K.M. (2005). Subjective Global Assessment: a simple and reliable scR.E.E.ning tool for malnutrition among Indians. *Indian Journal of Gastroenterology*, 24 (6), pp. 246-250.

Siegle, D. (2009). *Principles and Methods in Educational Research*.

<http://www.gifted.uconn.edu/siegle/Correlation/correlation%20notes.htm> [accessed 26 February 2009].

Slaviero, K.A., Read, J.A., Clarke, S.J. & Rivory, L.P. (2003). Baseline nutritional assessment in advanced cancer patients receiving palliative chemotherapy. *Nutrition & Cancer*, **46** (2): pp. 148-157.

Smets, E.M.A., Garrsen, B., Schuster-Uitterhoeve, A.L.J. & de Haes, J.C.J.M. (1993).

Fatigue in cancer patients. *British Journal of Cancer*, **68**: pp. 220-224, cited in: Dimeo, F., Schmittel, A., Fietz, T., Schwartz, S., Köhler, P., Böning, D. & Thiel, E. (2004). Physical performance, depression, immune status and fatigue in patients with haematological malignancies after treatment. 8 April. *Annals of Oncology*, **15**: pp. 1237-1242.

Smith, J.M. (1999). *Protein-Energy Malnutrition*.

<http://www.chclibrary.org/micromed/00062340.html> [accessed 8 December 2003].

South West Wales Cancer Institute (2007). *Nutrition and Dietetics*. Retrieved November 9,

2007, from South West Wales Cancer Institute:

<http://www.cancerwales.com/nutrition.html>.

Suominen, M. (2007). *Nutrition and Nutritional Care of Elderly People in Finnish Nursing*

Homes and Hospitals. Academic Dissertation. To be publicly discussed, with permission of the Faculty of Agriculture and Forestry of the University of Helsinki, Helsinki University Museum Arppeanum, published on November 30th, 2007, at 12 noon. Helsinki 2007.

Sullivan, D.H., Mortiarly, M.S., Chernoff, R. & Lipschitz, D.A. (1989). Patterns of care: an analysis of the quality of nutritional care routinely provided to elderly hospitalised veterans. *Journal of Parenteral & Enteral Nutrition*, May-June; **13**(3): pp. 249-54.

Steinbach, S., Hummel, T., Böhner, C., Berktold, S., Hundt, W., Kriner, M., Heinrich, P., Sommer, H., Jacobs, V.R., Schmalfeldt, B. & Harbeck, N. (2009). Qualitative and Quantitative Assessment of Taste and Smell Changes in Patients Undergoing Chemotherapy for Breast Cancer or Gynaecologic Malignancies. *Journal of Clinical Oncology*, March 16. [Publication ahead of print].

Survey research (you need a reference using author names)

The Cancer Nutrition Center (2007). *Nutrition and Lymphomas and Leukaemias: Lectures*.
http://www.cancernutrition.com/lymphoma_lecture.htm [accessed 12 November 2007].

The Cancer Nutrition Network for Texans (2000). *Nutrition: The Forgotten Ingredient in Cancer Care*. www.homestead.com/NSIGHTS [accessed 8 January 2008].

The Chartered Society of Physiotherapy (2007). *Barthel ADL Index*.
http://www.csp.org.uk/search/result.cfm?item_ID=57011B4400C0DF47F98896C93193ACA4&module=outcomeMeasures&cat= [accessed 10 December 2007].

The Leukaemia & Lymphoma Society (2008). *Hodgkin Lymphoma*. Available at:
http://www.leukemia-lymphoma.org/all_page.adp?item_id=7085 [accessed 30 April 2008].

The Royal Australian College of General Practitioners (RACGP) (2007). *Medical care of older persons in residential aged care facilities*.
<http://www.racgp.org.au/silverbookonline/4-0.asp> [accessed 10 December 2007].

The Survey System (2009). *Correlation – Statistical Techniques, Rating Scales, Correlation Coefficients and More*. <http://www.surveysystem.com/correlation.htm> [accessed 26 February 2009].

Thomas, D.R., Zrodowski, C.D., Wilson, M., Conright, K.C., Lewis, C., Tariq, S. & Morley, J.E. (2002). Malnutrition in subacute care. *American Journal of Clinical Nutrition*, February; **75**(2): 308-13.

Thoresen, L., Fjedstad, I., Krogstad, K., Kaasa, S. & Falkner, U.G. (2002). Nutritional Status of patients with advanced cancer: the value of using the SGA of nutritional status as a screening tool. *Palliative Medicine*, 16 (1): pp. 33-42.

Tinkle, M.B. & Beaton, J.L. (1983). Toward a new view of science: Implications for nursing research. *ANS*. 1983; 5(2): pp. 27-36.

Tisdale, M.J. (2001). Cancer anorexia and cachexia. *Nutrition*; **17**: pp. 438-442, cited in Molassiotis, A. & Foubert, J. (2006). *Nursing Patients with Cancer. Principles and Practice*. Anorexia, Cachexia and Malnutrition. Chapter 29. China: Elsevier, Churchill Livingstone.

Trask, P.C., Paterson, A.G., Fardig, J. & Smith, D.C. (2003). Course of distress and quality of life in testicular cancer patients before, during and after chemotherapy: results of pilot study. *Psychooncology*, 12: pp. 814-820.

Treece, E. & Treece, J. (1986). *Elements of Research in Nursing* (4th ed.). St. Louis: C.V. Mosby Co.

Trochim, W.M. (2006). *The Research Methods Knowledge Base*, 2nd Edition. Cincinnati: Atomic Dog Publishing.

Tsuboi, H., Shimoi, K., Kinae, N., Oguni, I., Hori, R. & Kobayashi, F. (2004). Depressive symptoms are independently correlated with lipid peroxidation in a female population: comparison with vitamins and carotenoids. *Journal of Psychosomatic Research*; **56**(1): pp. 53-58

University of Dundee (2007). *Barthel Index*.

<http://www.dundee.ac.uk/medther/Stroke/Scales/barthel.htm> [accessed 10 December 2007].

Van Cutsem, E. & Arends, J. (2005). The causes and consequences of cancer-associated malnutrition. *European Journal of Oncology Nursing*, **9**, Supplement 2: pp. S51-63.

Van Voorhees, B.W. (2006, July 21). *Body Mass Index*. MedlinePlus.

<http://www.nlm.nih.gov/medlineplus/ency/article/007196.htm> [accessed 18 November 2007].

Vogelzang, N.J., Breitbart, W., Cella, D. *et al.* (1997). Patient, caregiver, and oncologist perceptions of cancer-related fatigue: results of a tripart assessment survey. The Fatigue Coalition. *Seminars of Haematology*, **34**: pp. 4-12; cited in: Dimeo, F., Schmittel, A., Fietz, T., Schwartz, S., Köhler, P., Böning, D. & Thiel, E. (2004). Physical performance, depression, immune status and fatigue in patients with haematological malignancies after treatment. 8 April. *Annals of Oncology*, **15**: pp. 1237-1242.

Wang, X.S., Giralt, S.A., Mendoza, T.R., Engstrom, M.C., Johnson, B.A., Peterson, N., Broemeling, L.D. & Cleeland, C.S. (2002). Clinical features associated with cancer-related fatigue in patients being treated for leukaemia and Non-Hodgkin's Lymphoma. *Journal of Clinical Oncology*, March, **20** (5): pp. 1319-1328.

Ward, J. (2001). Malnutrition. *Practice Nurse*, February 23; **21**(4): 22, 24-6.

Wikipedia (2007). Wikipedia – The Free Encyclopedia. *Body Mass Index*.

http://en.wikipedia.org/wiki/Body_mass_index [accessed 31 December 2007].

Wikipedia (2008a). Wikipedia – The Free Encyclopedia. *Leukaemia*.

<http://en.wikipedia.org/wiki/Leukaemia> [accessed 20 March 2008].

Wikipedia (2008b). Wikipedia – The Free Encyclopedia. *Hodgin's lymphoma*.

http://en.wikipedia.org/wiki/Hodgin's_lymphoma [accessed 30 April 2008].

Wikipedia (2008c). Wikipedia – The Free Encyclopedia. *Non-Hodgin's lymphoma*.

http://en.wikipedia.org/wiki/Non-Hodgin's_lymphoma [accessed 30 april 2008].

Wikipedia (2008d). Wikipedia – The Free Encyclopedia. *Multiple Myeloma*.

http://en.wikipedia.org/wiki/Multiple_myeloma [accessed 5 May 2008].

Wikipedia (2008e). Wikipedia – The Free Encyclopedia. *Cohort Study*.

http://en.wikipedia.org/wiki/Cohort_study [accessed 11 May 2008].

Wikipedia (2009a). Wikipedia – The Free Encyclopedia. *Distress*.

<http://en.wikipedia.org/wiki/Distress> [10 April 2009].

Wikipedia (2009b). Wikipedia – The Free Encyclopedia. *Fatigue*.

<http://en.wikipedia.org/wiki/Fatigue> [accessed 11 April 2009].

Wikipedia (2009c). Wikipedia – The Free Encyclopedia. *Mucositis*.

<http://en.wikipedia.org/wiki/Mucositis> [accessed 5 May 2009].

Wikipedia (2009d). Wikipedia – The Free Encyclopedia. *Mucositis*.

http://en.wikipedia.org/wiki/Correlation_does_not_imply_causation [accessed 2 August 2009].

World-Related Leukaemia and Lymphoma (WRL) (2008). *Benzene and other toxic solvents and chemicals*. World-Related Leukaemia and Lymphoma. Medical Information. http://www.leukemiainfocenter.com/Benzene_Toxicity.html [accessed 8 April 2008].

Yuspa, S.H. & Poirier, M.C. (1988). Chemical carcinogenesis: from animal models to molecular models in one decade. *Advances in Cancer Research*, **50**: pp. 25-70.

Zader, D.A. & Truswell, A.S. (1987). Nutritional Status on admission to a general surgical ward in a Sydney Hospital. *Australia & New Zealand Journal of Medicine*; **17**: 234-40, cited in Leonard-Jones, J.E. (1992). *A Positive Approach to Nutrition as Treatment*. January 1992. A Report of a Working Party (King's Fund) on the role of enteral and parenteral feeding in hospital and home.

Zainal, N., Koh, H., Hang, T. & Bustam, A. (2007). Prevalence of distress in cancer patients undergoing chemotherapy. *Asia-Pacific Journal of Clinical Oncology*, **3**: pp. 219-223.

Zoler, M.L. (2001). Patient 'Distress Thermometer' Endorsed by Cancer Network - Brief Article. *Family Practice News*, April 15, http://findarticles.com/p/articles/mi_m0BJI/is_8_31/ai_76758558/ [accessed 21 April 2009].